

Table A.--Acreage and Proportionate Extent of the Soils

| Map symbol | Soil name | Acres | Percent |
|------------|--|--------|---------|
| 64 | Arveson loam----- | 2,980 | 0.5 |
| 76 | Arvilla sandy loam, 0 to 6 percent slopes----- | 8,545 | 1.5 |
| 86 | Aylmer-bantry fine sands, 0 to 6 percent slopes----- | 5,550 | 1.0 |
| 118 | Barnes-buse loams, 3 to 6 percent slopes----- | 49,360 | 8.9 |
| 120 | Barnes-buse loams, 6 to 9 percent slopes----- | 17,975 | 3.3 |
| 154 | Barnes-svea loams, 0 to 3 percent slopes----- | 51,955 | 9.4 |
| 156 | Barnes-svea loams, 3 to 6 percent slopes----- | 57,855 | 10.5 |
| 314 | Buse-barnes loams, 9 to 15 percent slopes----- | 6,340 | 1.1 |
| 450 | Colvin silt loam----- | 3,165 | 0.6 |
| 493 | Darnen loam, 3 to 6 percent slopes----- | 1,555 | 0.3 |
| 510 | Divide loam----- | 11,130 | 2.0 |
| 571 | Embden fine sandy loam, 0 to 6 percent slopes----- | 6,215 | 1.1 |
| 726 | Fordville loam----- | 5,735 | 1.0 |
| 772 | Gardena-eckman loams, 0 to 3 percent slopes----- | 4,425 | 0.8 |
| 794 | Glyndon loam----- | 3,945 | 0.7 |
| 795 | Glyndon loam, saline----- | 425 | * |
| 852 | Hamar loamy fine sand----- | 1,100 | 0.2 |
| 883 | Hamerly-tonka-parnell complex, 0 to 3 percent slopes----- | 57,470 | 10.4 |
| 939 | Hecla-hamar loamy fine sands, 0 to 3 percent slopes----- | 27,060 | 4.9 |
| 1030 | Kranzburg-lismore silty clay loams, 2 to 6 percent slopes----- | 240 | * |
| 1043 | La prairie loam----- | 3,620 | 0.7 |
| 1055 | Ladelle silt loam----- | 2,430 | 0.4 |
| 1081 | Lamoure silt loam----- | 1,115 | 0.2 |
| 1168 | Lismore-kranzburg silty clay loams, 0 to 2 percent slopes----- | 980 | 0.2 |
| 1205 | Maddock loamy fine sand, 6 to 15 percent slopes----- | 1,385 | 0.3 |
| 1221 | Maddock-hecla loamy fine sands, 1 to 6 percent slopes----- | 6,505 | 1.2 |
| 1269 | Marysland silt loam----- | 2,975 | 0.5 |
| 1403 | Overly silty clay loam----- | 1,940 | 0.4 |
| 1427 | Parnell silty clay loam----- | 6,270 | 1.1 |
| 1466 | Pits, sand and gravel----- | 595 | 0.1 |
| 1472 | Rauville silty clay loam----- | 1,295 | 0.2 |
| 1523 | Renshaw loam, 0 to 3 percent slopes----- | 8,250 | 1.5 |
| 1560 | Rifle mucky peat----- | 115 | * |
| 1577 | Rosewood fine sandy loam----- | 7,745 | 1.4 |
| 1648 | Serden-dune land complex, 1 to 35 percent slopes----- | 7,165 | 1.3 |
| 1670 | Ulen-rosewood fine sandy loams----- | 6,995 | 1.3 |
| 1704 | Sioux-renshaw complex, 0 to 6 percent slopes----- | 11,835 | 2.1 |
| 1709 | Southam silt loam----- | 4,660 | 0.8 |
| 1772 | Svea-gardena loams----- | 7,160 | 1.3 |
| 1788 | Swenoda-barnes complex, 0 to 6 percent slopes----- | 4,685 | 0.8 |
| 1834 | Tonka silt loam----- | 1,785 | 0.3 |
| 1842 | Towner loamy fine sand, 0 to 3 percent slopes----- | 1,265 | 0.2 |
| 1859 | Ulen fine sandy loam----- | 9,625 | 1.7 |
| 1871 | Vallers loam, saline----- | 1,875 | 0.3 |
| 1883 | Vallers-parnell complex----- | 4,115 | 0.7 |
| 1935 | Venlo fine sandy loam----- | 750 | 0.1 |
| 1953 | Wahpeton silty clay----- | 195 | * |
| 1978 | Water----- | 2,180 | 0.4 |
| 2049 | Wyndmere loam----- | 10,450 | 1.9 |
| 2091 | Zell loam, 9 to 25 percent slopes----- | 715 | 0.1 |
| 2206 | Barnes-sioux complex, 3 to 9 percent slopes----- | 2,400 | 0.4 |
| 2207 | Bearden silt loam----- | 1,105 | 0.2 |
| 2208 | Brantford-coe loams, 1 to 6 percent slopes----- | 2,220 | 0.4 |
| 2209 | Buse-barnes loams, 15 to 50 percent slopes----- | 14,520 | 2.6 |
| 2210 | Cathay-larson loams, bouldery----- | 1,360 | 0.2 |
| 2211 | Eckman-gardena loams, 3 to 6 percent slopes----- | 2,260 | 0.4 |
| 2212 | Eckman-zell loams, 3 to 6 percent slopes----- | 1,100 | 0.2 |
| 2213 | Eckman-zell loams, 6 to 9 percent slopes----- | 530 | * |
| 2214 | Exline loam----- | 1,410 | 0.3 |
| 2215 | Fairdale loam, 0 to 6 percent slopes----- | 9,690 | 1.8 |
| 2216 | Gwinner-peevee-parnell complex, 0 to 3 percent slopes----- | 10,135 | 1.8 |
| 2217 | Hamerly-buse-parnell complex, 0 to 6 percent slopes----- | 2,165 | 0.4 |
| 2218 | Brantford-vang loams, 1 to 3 percent slopes----- | 2,785 | 0.5 |
| 2219 | Hegne silty clay loam----- | 620 | 0.1 |
| 2220 | Letcher-lemert sandy loams----- | 790 | 0.1 |
| 2221 | Falsen loamy sand, 0 to 3 percent slopes----- | 3,920 | 0.7 |
| 2222 | Peevee-gwinner complex, 3 to 6 percent slopes----- | 2,000 | 0.4 |
| 2223 | Renshaw-sioux complex, 0 to 6 percent slopes----- | 11,895 | 2.2 |
| 2224 | Serden-hamar complex, 0 to 15 percent slopes----- | 15,505 | 2.8 |
| 2225 | Sioux cobbly sandy loam, 6 to 15 percent slopes----- | 3,835 | 0.7 |
| 2226 | Stirum-lemert sandy loams----- | 2,495 | 0.5 |
| 2228 | Aylmer-rosewood-serden complex, 0 to 9 percent slopes----- | 16,360 | 3.0 |

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

| Map symbol | Soil name | Acres | Percent |
|---------------|------------|---------|---------|
| | Total----- | 552,800 | 100.0 |

* Less than 0.1 percent.

